



portalfonoaudiologia.com

## **BIBLIOGRAFIA CURSO DE SELECCIÓN DE PRÓTESIS AUDITIVAS EN NIÑOS Y ADULTOS:**



- Achleitner, G; Pérez A y Bastarrica, M. Aprobación de nuevas indicaciones del implante de oído medio vibrant® soundbridge® Boletín AELFA N°8 (2007)
- Alpiner, J; . McCarthy, P “Rehabilitative Audiology”. Lippincott Williams And Willkins .Tercera edición. (2000)
- American Speech-Language-Hearing Association. (2002). Guidelines for fitting and monitoring FM Systems. ASHA Desk Reference, 2, 151-171.
- Amieva H y colab. Death, Depression, Disability, and Dementia Associated With Self-reported Hearing Problems: A 25-Year Study. The Journals of Gerontology: Series A, Volume 73, Issue 10, October 2018. Implante coclear
- Boymans, Dreschler (2000) Field Trials using a Digital Hearing Aid with Active Noise Reduction and Dual Microphone Directionally. Journal Audiology. Vol 39 N° 5 Sep- Oct.
- Cardin Velia . Effects of Aging and Adult-Onset Hearing Loss on Cortical Auditory Regions- Front Neurosci. 2016; 10: 199. Published online 2016 May 11.
- CODEPEH .Diagnóstico y tratamiento precoz de la hipoacusia unilateral o asimétrica en la infancia: recomendaciones Early diagnosis and treatment of unilateral or asymmetrical hearing loss in children: CODEPEH recommendations
- Conn, M. “Handbook of models for human aging”. Elsevier (2006)
- Dillon, H. “Hearing aids”
- Dreschler y colab. (2001) "ICRA Noises: Artificial Noises Signals with Speech- like Spectral and Temporal Properties for Hearing Instrument Assessment." Journal of Audiology vol 40 N° 3 May- June.
- Duncan K, Nancy L. Aarts A Comparison of the HINT and Quick SIN Tests



## Comparaison entre les tests HINT et Quick SIN

- Flexer, C y Madell. "Pediatric Audiology: Diagnosis, Technology and Management" Thieme. (2008).
- GAP (Grupo audioprotésico Pediátrico) "Protocolo de Amplificación Pediátrica" Williams & Wilkins, Baltimore. (2004)
- Hinojosa, R. y Naunton, R.F.: "Presbiacusia" Paparella-Shumrick (ed.): Otorrinolaringología. Tomo II. Panamericana (2ª ed.), 1972, pp. 1761-1771.
- Jerger, James (2000) "Two ears- two aids? Well, yes and no". Vol. 1- January. Audiology Journal.
- Johnson, C y Danhauer, L. « Handbook of outcomes measurement in audiology». Singular (2002)
- Killion, C. "Myths About Hearing Aid Benefit and Satisfaction" Revista The Hearing Review. Agosto 2004.
- Killion and colab. (1998) "Real- World performance of an ITE directional microphone." Hearing Journal Vol 51 N°4 April
- Killion (1993) "An attempt to present high fidelity for the hearing imparied." American Journal of Audiology Vol 2 N°2 July
- Killion and Christensen (1998) The case of the missing dots: AI and SNR loss. Hearing Journal. Vol 51 N° 5 May
- Killion (1993). "An attempt to present high fidelity for the hearing impaired." A. Journal of Audiology. Vol2, N°2, July .
- Koopman (2001) "Toward a Representative Set of "Real life " Noises. J. Audiology Vol 40 N°2 March- April
- Kricos, P. "Minimizing the Effects of Non-Audiological Variables on Hearing Aid



- Outcomes.” Revista electrónica Audiology Online.(2008)
- López González M, Rocío López Fernández, Francisco Esteban Ortega Enmascaramiento secuencial de acúfenos. Capitulo 29 de El acufeno como señal de malestar. De Gonzalez y Ortega (2010)
  - McCormack A. “ Why do people fitted with hearing aids not wear them? Int J Audiol. 2013 May
  - McCreery, Ryan Ph Directional Microphone Use with Children: No Straight Answer The Hearing Journal: November 2013
  - McCreery, RW y Walker, EA (2017). Verificación de audífonos para niños. Amplificación pediátrica: mejora del acceso auditivo . San Diego, CA: Pubmed.
  - McCreery, Ryan Data Logging and Hearing Aid Use: Focus on the Forest, Not the Trees The Hearing Journal: December 2013
  - Madell, J ; Flexer, C. “Pediatric Audiology: Diagnosis, Technology and Management” Thieme Medical Publisher. 2008.
  - Maggio De Maggi, M. “Nuevos desarrollos en Tecnologías de FM”. Revista Programa Infantil Phonak. N°38 Agosto/octubre 2009
  - Maggio De Maggi, M. “Terapia Auditivo Verbal. Enseñar a escuchar para aprender a hablar”. Revista Electrónica de Audiología. Vol. 2. (2005)
  - Manrique M, Huarte A, Molina M, Cervera J, Espinosa JM. “Tratamiento de la sordera en el niño menor de dos años”. Anales Españoles de Pediatría, 1997; 97: 95-98.
  - Mathias Hällgren, Birgitta Larsby . A Swedish version of the Hearing In Noise Test (HINT) for measurement of speech recognition Journal International Journal of Audiology Volume 45, 2006 - Issue 4
  - Medel Guia Para sistemas de FM



- **Modern Hearing Instrument Technology” Capítulo 10. A Sound Foundation Through Early Amplification (2001). Editorial Board.**
- **Moore, Glasberg, Vickers (1995) "Simulation of the effects of loudness recruitment on the intelligibility of the speech in noise" British Journal of Audiology vol 29 N° 3.**
- **Moore, B “Cochlear hearing loss: physiological, psychological and technical issues” John Wiley & Sons. (2007). Segunda edición.**
- **Murray. Foundations of aural rehabilitation: children, adults, and their family members. Editorial Delmar, Cengage Learning. (2009). Tercera Edición.**
- **Nolan, M; Turker, I. “Educational audiology”. Biddles Ltd. (1984)**
- **Northern, J; Downs, M “Hearing in children” Williams and Wilkins (2002) Quinta Edición.**
- **Ontario infant hearing program audiologic assessment protocol Version 3.1, January 2008**
- **Sandlin, R. “Hearing aids amplification. Technical and clinical consideration” Singular Publishing Group. (2000) Segunda edición.**
- **Seewald, R y Gravel, J “Electroacoustic Verification Measures with**
- **Seewald, R. “El Metodo de Nivel de Sensacion Deseada (DSL) para la Adaptación de Audífonos en Lactantes y Niños”. Revista Acústica No . 20, 1995.**
- **Sejal Kuvadia, AuD, Luis F. Camacho, AuD Data Logging - Hearing Aid Behavior in the Real World. Audiologyonline Julio 2017**
- **Soares E, Monteiro Broglia de Feitosa Lacerda. Paulo Rogério Catanhede Porto Comparación entre los cuestionarios IT-MAIS y MUSS con grabación de video para la evaluación de niños que pueden recibir un implante coclear. Brazilian Journal of Otorhinolaryngology(febrero 2008)**
- **Stach Brad , A. “Clinical Audiology—An Introduction”. Singular Publishing Group Inc. 1998**



- Taylor, B. "Laboratory Measures of Hearing Aid Outcome: More Than Just Nostalgia for the '70s". Revista electrónica AudiologyOnline (2008)
- Taylor, B Self-Report Assessment of Hearing Aid Outcome – An Overview. Revista electrónica AudiologyOnline (2007)
- Ted Venema. Nueva tecnología en Audífonos.
- Ted Venema. Micrófonos direccionales- No solamente para prótesis de alta definición.
- Thompson. (1993) "Micrófonos Direccionales: Ellos también tienen desventajas. " American Journal of Audiology. Vol 2 N°2July
- Tobin, Henry "Practical Hearing aids selection and fitting" Veterans Health Administration. Scientific and Technical Publications Section. (1997)
- Torkildsen. Abigail Hitchins. Speech-in-Noise Perception in Children With Cochlear Implants, Hearing Aids, Developmental Language Disorder and Typical Development: The Effects of Linguistic and Cognitive Abilities. Front. Psychol., 19 November 2019
- Trine.(2004) "candidacy for directional hearing instruments" Starkey Laboratories.
- Trine "Solution for hearing in noise." Starkey Laboratories.
- Valente, Michael, Holly Hosford-Dunn,Ross J. Roeser "Audiology Treatment" Theme Medical Publisher. Second Edition. (2007)
- Watts K, Marlene Bagatto , Sandra Clark-Lewis , Samantha Henderson , Susan Scollie , Judith Blumsack .Relación de la circunferencia de la cabeza y la edad en la predicción de la diferencia de oído real a acoplador (RECD) J Am Acad Audiol 2020 12 de febrero
- Wouters J (1999) "Speech Intelligibility in Noisy environments with one and 2 microphones hearing aids" - J. Audiology vol 38 N 2; pag 91/98
- Wouters- J "Speech Intelligibility in Noisy environments with one and 2 microphones



hearing aids". Audiology vol 38 N 2 (1999).

- Zenker, F. "Ayudas Técnicas para Personas con Discapacidad Auditiva" Revista electrónica Auditio (octubre 2004)